

Wipers · Janitorial · Packaging · Safety

CONSTRUCTION **HEADQUARTERS**

Volume 4 - Issue1



Majestic 75-1300 Yellow Bomber with Hood

- · PU coated polyester with fully taped seams
- · Sewn in quilted liner
- · Cell phone pocket
- · Waterproof
- · Elastic ribbed waist, wrist, and collar
- Detachable concealed hood
- Meets ANSI/ISEA 107-2004 Class 3 standard

CAUTION DO NOT ENTER

CAUTION DO NOT ENTER Legend

T15102 Barricade Tape with

· Yellow, 3-Inch Width

· 1000 Feet Per Roll

· High Strength, 1.5 Mil

· Non-Toxic, Non-Flammable

· UV Resistant Ink, Lead Free

· Remains Flexible in Cold Weather

• Size M-4XL



1056 Contrasting Mesh Vest

- Ultra-Cool™ 100% polyester mesh
- · Zipper front closure
- 2" wide high performance reflective material with 4.5" contrasting color
- Inside left chest 2-tier, 4-division pencil pocket
- · Lower right inside patch pocket
- · ANSI 107 Type R | Class 2 Compliant
- 1/ea
- Size S-5XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HexArmor® Eyewear MX200

- · Rimless lens design with wide field of vision
- · Dual-injection soft-grip side arms for comfort and non-slip fit
- LTX® Lens Technology for premium optical clarity
- · Metal-free hinge design
- · Compliant with ANSI Z87.1.2015, and High Impact Rated Z87+
- 1/ea

11-10001-02	Clear Lens	TruShield® Coating
11-10002-03	Clear Lens	TruShield®2F Coating
11-10003-04	Clear Lens	TruShield®S Coating
11-10004-05	Clear Lens	TruShield®2SF Coating







Kleenguard™ Nemesis* Safety Glasses

- · Sporty, flexible, lightweight design w/wraparound, 8-base curve lens
- Patented FLEX-DRY* designed to be extremely flexible, to channel sweat away from the eyes
- Meets ANSI Z87.1+ standards
- 1/ea

22608 Camo Frame, Clear Anti-Fog Lens



Honeywell Uvex Avatar™ OTG Safety Glasses

- · PC Lens. Anti-Reflective. and Hardcoat
- · Ratchet, wire-core, adjustable temples, flexible and adjustable nose
- · Patented Indirect venting system, soft brow frame with Multi-Material Technology® Plus
- · Meets ANSI standards and is CSA Certified
- · Other color frames and lenses available
- 1/Fa



Showa 381

- · Durable, lightweight and extremely comfortable
- · Ideal for assembly and precision handling tasks in dry and light oily handling conditions
- · Embossed pattern on the microporous foamed nitrile palm
- 12/pk
- Size S-2XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

159200201 Sqwincher® Sqweeze® Pops

- · Quickly cools body temperature
- Frozen electrolyte replenishment
- Assorted Flavors
- 150/cs

What's Inside:

2
3
3
4-5
6
6
7
7
8-9
9
10
11
11
11
12
12
12

EYE PROTECTION



Bollé Safety Rush+ Assembled

- Upper protection
- · Co-injected, Ultra-Flex Temples
- · Non-slip adjustable bridge
- · Assembled with foam and strap

40252 Red/Black Frame, Clear AS/AF Lens 40258 Grey/Black Frame, Twilight AS/AF Lens

WARNING: Cancer and Reproductive

Harm - www.P65Warnings.ca.gov

Mimberly-Clark

Microsoft

Mi



Kleenguard™ 49309 Maverick™ Safety Glasses

- · Modern sleek and stylish lightweight
- · Integrated side shields and browguard
- · Comfort touch points on the temples and nose bridge
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection
- Meets the ANSI Z87.1+ standards for optical and impact protector requirements
- · Clear Anti-Fog lenses with Black Frame
- 1/Ea



SecureFit™ Protective Eyewear

- Durable lenses help provide limited protection from light to moderate impact hazards
- 3M™ Pressure Diffusion Temple self-adjusts to provide a secure, comfortable fit
- · Padded temples for added comfort over the ears
- Impact-resistant lenses block 99.9% of UV rays
- · Meets the requirements of ANSI Z87.1
- · Available in many lens options
- 1/ea



SAS NSX Turbo Safety Glasses

- · High-impact polycarbonate lens
- 99.9% UV protection
- · Scratch resistant coating
- · Lightweight wrap-around lens
- Non-slip temples
- Meets ANSI Z87.1+
- 1/Ea

5330 Clear Lens

5331 Gray Lens

5334 Indoor/Outdoor Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Bollé Safety Rush+

- · Scratch and fog resistant Platinum® coating
- · Adjustable non-slip bridge
- · Co-injected, ultra-pliable and bi-color temples
- · Superior optics
- 1/Ea

40208 Grey/Black Frame, Smoke AS/AF Lens 41080 Red/Black Frame, Clear AS/AF Lens

MCR LCT Lens Cleaning Towelettes

· Lens Cleaning Station

• 100/Bx

Honeywell

UVEX[®]

· Wrapped in Individual Packets

Honeywell Uvex D3961C Stealth Safety Goggles

• PC, Toric lens, Hydroshield AF, Dura-streme AF/HC

· Quick-adjust, latex-free headband, in Neoprene or fabric

· Polypropylene, elastomer goggle body

• Meets ANSI Z87.1+ - 2015 standards

· Available in many different lens options



Bollé Safety Baxter

- Increased protection
- · Wrap-around frame
- · Waterproof foam and removable strap
- Platinum coating

40276 Blue/Black Frame, Clear AS/AF Lens 40277 Blue/Black Frame, Smoke AS/AF Lens 40278 Blue/Black Frame, CSP AS/AF Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MCR 9800 Safety Glasses

- · Dielectric, no metal parts
- · Single lens design with integral side shields for greater orbital seal
- Spatula temples
- Rugged polycarbonate lens filters 99.9% of harmful U.V.
- ANSI Z87+ and CSA Z94.3
- 1/Ea



MCR HK1 Series Safety Glasses

- · Soft, secure TPR nose pad
- · Non-slip soft temple material
- · Excellent orbital seal for eye protection
- Meets ANSI Z87+
- 1/Fa

HK112AF Gray Temples, Gray Anti-fog Lens HK113 Light Blue Temples, Light Blue Lens HK114 Amber Temples, Amber Lens

Honeywell



SAS VX9 Safety Glasses

- · High-impact polycarbonate lens
- 99.9% UV protection
- · Anti-fog and scratch resistant coating
- · Non-slip nose piece and temples
- · Meets ANSI Z87.1+
- 1/Ea

5510-03 Black Frame, Amber Lens

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Honeywell Uvex Seismic Safety Glasses

- · HydroShield Anti-Fog coating
- PC lens, Dura-streme AF/HC, Uvextreme AF
- Face cushioning, padded temple tips, flexible nose pads, adjustable headband
- · Comes with removable temples, headband and cushioned subframe
- Meets ANSI Z87.1+ 2015 standards
- 1/Fa

S0600X Black Frame, Clear AF Lens S0602X Black Frame, Amber AF Lens S0600 Orange Frame, Clear AS/AF Lens

HEAD & FACE PROTECTION



- · Durable, high-density polyethylene shell
- Fas-Trac® ratchet suspension system
- Includes Cushionaire[™] sweatband and adjustable crown
- Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature (LT) and reverse donning.
- · Colors, White, Yellow (More colors available)



MSA V-Gard® Standard Caps

- · Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- · Multiple colors available



MSA 475407 Skullgard® Protective Hat

- · Skullgard helmets have been tested to radiant heat loads producing temperatures up to, but not exceeding, 350F.
- · Smooth crown for easy use of MSA welding equipment
- Fas-Trac® III Suspension
- · Colors: Natural Tan



3M™ SecureFit™ Safety Helmet

- · Climbing helmet-inspired design
- · Suspension system incorporates exclusive patented Pressure Diffusion Technology
- · Works with a variety of 3M faceshields, earmuffs, and other accessories
- Customize your fit with multiple levels of vertical adjustment
- Meets ANSI Z89.1
- · Available in many colors
- 1/Ea



Honeywell Fibre-Metal Roughneck P2A Caps

- · Built for strength, toughness and durability
- · Exceptional impact and crack resistance
- · Eight load-bearing points balance weight and impact energy over wide area for added comfort and safety
- Multiple colors available

P2A Cap Style Extreme temps of up to 370° P2HN Cap Style Extreme temps of up to 500°



MSA 696688 Terri-Band Sweatbands

- · Snap-in sweatbands fit all MSA helmets
- · Absorbent and comfortable
- Machine washable
- 10/pk



JACKSON

Jackson Safety 46129 Insight Variable Auto Darkening Welding Helmet, HSL100

- · Lens ffeatures variable shade (9-13)
- Wide viewing area 3.93" x 2.36"
- · Sensitivity and delay adjustments
- Four (4) independent auto dimming sensors
- Digital controls
- · Meets ANSI Z87.1+ standards

VVELDAS

Weldas 20-3200 SWEATSUpad® **Hard Hat Welding Sweatbands**

- · Reduces irritation from hard hats or other headgear
- · Made of all fleece cotton and is comfortable in the summer or winter
- · Flame retardant for the safety of the welder

AIR HORNS



FIAMM 65805 Mega Blast Siren Horn

- · Rechargeable via the included USB plug and adapter
- · Extremely loud: 122dB
- · Works in extreme cold, when regular air horns stop working
- · Weatherproof & shock resistant solid state electronics
- · Meets U.S. Coast Guard requirements
- No need to replace air canisters, or carry an air pump to re-fill
- 1/ea





FIAMM 6580823 Big Horn Air Horn

- · Environmentally friendly
- · Output of 125 decibels, at 1 meter
- · Meets all coast guard requirements
- Refill air cannisters available (2000821)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HAND PROTECTION



Ansell

Ansell 11-840 Hyflex®

- · Foam coating is 20% more breathable than earlier formulations - for cooler, drier hands and less sweat
- · Snug, second-skin tailoring tightens the fit across the palm for added comfort and tactility improving dexterity when moving
- 12/pk
- Size 6-10 (More sizes available)



Honeywell

Honeywell 42-612BY Rig Dog™ Xtreme Gloves

- · Elevated fingertip protection
- · Ergonomic design for high dexterity
- · Impact resistant property on knuckle
- · High visibility green TPR fingers
- · High visibility red palm
- · Slip-on cuff
- 12/pk
- Size M-XL (More sizes available)



Ansell

Ansell 11-644 Hyflex®

- · Enhanced cut protection, wear life, and comfort with a high
- · High dexterity with longer wear due to low palm weight and excellent abrasion resistance
- Size 6-10 (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Ansell

Ansell 197-011 ActivArmr®

- · 2-ply acrylic brushed liner keeps hands warm in extreme cold, as well as cut and abrasion protection
- Tested to perform at -4°F/-20°C
- 3/4 double-dipped nitrile coating has a sandy finish for excellent wet/oily and dry materials handling
- 6/pk
- Size 8-11



MFF-05 FastFit® Work Gloves

- Form-fitting TrekDry® material keeps hands cool
- · Stretch-elastic cuffs create a secure fit
- Reinforced thumb and index finger
- · Anatomically designed two-piece palm design eliminates material bunching
- High-dexterity synthetic leather infused with touchscreen technology
- 1/pr
- Size M-XL (More sizes available)



SMP-91 Hi-Viz M-Pact® Gloves

- Thermoplastic Rubber (TPR) impact protection meets EN 13594 impact standard
- TPR pinch-point fingertip protection
- · Armortex® palm reinforcement
- · Touchscreen capable synthetic leather
- D3O® palm padding absorbs and dissipates high-impact energy through the palm
- 1/pr
- · Size M-XL (More sizes available)



MAJESTIC

Majestic 3228 SuperDex

- Micro foam nitrile palm dip coating
- · Ultra cool, breathable coating keeps your hands cool and dry
- 15 gauge liner for lightweight comfort
- · Pre-Curved finger design to minimize hand fatigue
- 12/pk
- · Size S-XL (More sizes available)



WELLS LAMONT

Wells Lamont Y0135 Grain Leather **Driver Economy**

- · Economy choice
- · Gunn cut
- · Straight thumb
- Bound hem
- 12/pk
- Size S-XL



Honeywell North NF11 NorthFlex Red™

- Lightweight, 15 gauge nylon glove
- Foam PVC coating on palm and fingertips
- No coating on back of hand for added ventilation
- ANSI/ISEA 105 ASTM D3389-05 Abrasion Test ANSI/ISEA 105 - ASTM F1790-97 Cut Test
- Size 8-10 (More sizes available)



WELLS LAMONT

Wells Lamont VS 7 Value Series **Cut Resistant Gloves**

- · Heavy duty cut resistant glove
- · Wireless option to complement the Whizard® line of cut resistant gloves
- CFR 21 approved for food contact
- ANSI Level A6
- Gauge 7
- 1/pr
- · Size S-XL (More sizes available)

HAND PROTECTION



TRADEX

N200BLK Black Nitrile Powder-Free Gloves

- · Hides dirt and stains
- · Rich black color provides sharp contrast
- · Not made with natural rubber latex
- · Textured surface for improved grip
- 100/Bx
- Size S-XL



Hex/Armor

2092 Rig Lizard® Thin Lizzie™ Gloves

- High-performance polyethylene and glass fiber blend shell
- · Flexible sandy nitrile palm coating
- Back-of-hand IR-X[®] Impact Exoskeleton[™] with high-flex design
- · Padded palm for vibration reduction
- Elastic cuff with Velcro® closure
- ANSI/ISEA 138 Level 1 impact protection
- ANSI/ISEA cut level A4 protection
- 1/pr
- Size S-2XL



SAS

6657 Astro-Grip Nitrile Disposable Glove

- · Powder-free nitrile. non-latex
- · Thickness: 7 mil
- · Dual-sided scale textured surface for superior grip
- · High-visibility orange color
- · Exceptional chemical and puncture resistance
- 100/bx
- Size M-2XL



Hex/Armon

4060 Chrome SLT® Gloves

- Goatskin leather palm
- · SlipFit® cuff assists a quick on and off
- · Back-of-hand impact protection
- 360 degree A5 cut protection
- ANSI/ISEA 138 Level 1 protection
- EN407:2004 certified for Contact Heat Level 2, and large splashes of molten metal Level 1
- Lab tested in accordance with HRC ATPV: 23.6 Cal/cm2 for a level 2 performance
- 1/pr
- Size S-2XL



Weldas'

10-2327 Prestigious DEERSOsoft® Best TIG Gloves

- Improve the welder's control by molding to the shape of their hand like a second skin and offer excellent protection
- 4"cuff
- · Golden Split Deerskin
- 1/pr
- Size M-L

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





TILLMAN°

Tillman 1414 Cowhide Drivers Gloves

- · Top grain cowhide palm and back
- Keystone thumb
- Double stitching
- Unlined
- Sizes: S-2XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





TILLMAN

Tillman 24C TIG Welders Gloves

- Premium top-grain kidskin leather enhances feel and dexterity
- Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection
- 1 pair
- · Sizes: S-XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Dironclad

BHG Box Handler® Gloves

- Patented Diamondclad® Silicone Fused Palm for ultimate grip
- Duraclad[®] reinforced 8X more durable than synthetic
- Neoprene knuckles offers protection and breathability
- Hybrid cuff system for secure fit, built-in quick release feature
- 1/pr
- Size S-XL (More sizes available)



Oironclan |

INDI-CCP Cotton Corded

- Cotton corded palm provides low cost allaround grip
- IVE™ optical technology that extends the field of visual recognition
- Impact protection on fingers, thumb, knuckles and metacarpal bones
- 1/pr
- Size S-2XL (More sizes available)



Dironclad

HW6X Heatworx® Heavy Duty

- Extreme heat protection up to 600°F
- Molded Silicone Palm With Kovenex® Liner for extreme heat resistance
- Ironclad Hotshield® Technology for heat resistance without sacrificing dexterity
- Extended gauntlet cuff for added protection and comfort
- 1/pr
- Size S-2XL

HI-VIZ APPAREL



1242 6 Pocket Contrast Mesh Vest Lime

- Ultra-Cool™ 100% polyester mesh with solid pockets
- Zipper front closure
- 2" wide high performance reflective material with 3" contrasting mesh
- · Left chest mic tab, outside left chest radio pocket
- Outside right chest 2-tier, 3-division pocket
- · Inside lower patch pockets
- Two lower outside solid material patch pockets with flaps
- · ANSI 107 Type R | Class 3 Compliant
- 1/ea
- Size S-5XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1174 Contrasting Mesh Breakaway Vest

- Ultra-Cool™ 100% polyester mesh
- Hook & loop breakaway shoulders, sides & front closure
- 2" wide high performance reflective material with 4.5" contrasting color
- · Left chest mic tab
- Inside left chest 2-tier, 4-division pencil pocket
- · Lower right inside patch pocket
- ANSI 107 Type R | Class 2 Compliant
- 1/ea
- Size S-5XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Ergodyne GloWear® 8205HL Type R Class 2 Super Econo Mesh Vest

- ANSI-compliant polyester mesh (3.3oz)
- Hook and loop closure
- 2" ANSI-compliant reflective
- Orange
- 1/Ea
- Size L/XL



MCR VCL2SL Safety Vest, Economy Class 2

- ANSI/ISEA 107-2015 Class 2, Type R compliant
- · Hook and Loop front closure
- · 2 inch silver reflective stripes
- 2 outer and 1 inner pocket
- · Value series option, solid material
- 1/Ea
- Size M-4XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Majestic 75-3201 High Visibility Mesh Vest, ANSI 2

- · High visibility yellow polyester mesh vest
- Includes one inside chest pocket and two inside waist pockets
- Mic tab
- · Zipper front closure
- · 2" reflective striping
- · Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-XL (More sizes available)





MCR WCCL2LFR Safety Vest, Class 2, Limited Flammability

- ANSI/ISEA 107-2015 Class 2, Type R compliant
- Dielectric / Non-conductive Zipper front closure
- 4.5" orange/silver reflective stripes for ample contrast
- · 2 inner pockets
- Limited Flammability, NOT intended for use as protection against ARC Flash or Flash Fire
- This garment is not flame resistant as defined by ANSI/ISEA 107-2015 Section 10.5.
- 1/Ea
- Size M-4XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ERGONOMICS





ProFlex® 1650 Economy Elastic Back Support Brace

- · Economical spandex body
- · Non-conductive polypropylene stays
- 7.5-inch body for extra firm support
- Adjustable, detachable suspenders
- Machine wash
- Sizes: M-XL



125 Value Contoured Hard Cap

- Heavy Duty Protection
- EVA foam padding provides support and protection
- · PE plastic hard cap
- · Durable polyester and tricot fabrics
- Hook & Loop closure
- 1/pr





4

Ergodyne Squids® 3400 Grabber

- Don't lose your items. Clip them to you!
- Grabber clip mounts to d-rings, clothing, etc.
- Durable, ultra-resilient acetal copolymer
 Dielectric / non-conductive material
- Grabbers disconnect and can be used independently
- · Colors: black, orange, lime, blue
- 1/ea

HEARING PROTECTION





Moldex 6680 Soothers Moisturizing Earplugs

- · Hydrates and moisturizes for all day comfort
- · Soft foam and tapered shape for added comfort
- · Non-irritating smooth surface
- · Independently tested to ANSI S3.19-1974
- NRR 33
- Uncorded
- 200pr/bx



Moldex Pura-Fit® Disposable Foam Earplugs

- · Highest independently tested NRR
- · Extra-soft, low-pressure foam for comfort and fit
- · Tapered shape for easy insertion and removal
- Non-irritating smooth surface
- 100% PVC-Free®
- NRR 33

6800 Uncorded 200pr/bx 6900 Corded 100pr/bx





Moldex 6100 M1 Premium Folding Earmuff

- SoftCoat® covering helps muffle transmitted noise
- · Exclusive iridescent color and curvy shape for great looks
- · Molded grips make fitting easy and quick
- NRR 29
- 1/ea

Honeywell

LEIGHT

Howard Leight™ MAX® Earplugs

- · Contoured design easier to insert, resists tendency to back-out of ear canal
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- NRR 33

MAX-1 Uncorded 200pr/bx MAX-30 Corded 100pr/bx



of the ear canal

• NRR 29 dB

• 200pr/bx

· Uncorded, Pillow pack

3M™ H10A Peltor™ Optime™ 105 Earmuffs

3M™ E-A-R™ 310-1001 Classic™ Earplugs

· Slow recovery, low pressure foam conforms to the shape

· Moisture-resistant—helps maintain a consistent

expansion time, even in humid environments • Flame resistant—important for potential arc flash

situations and for storage considerations

- · Over the head ear muffs
- "Double-shell" earcup design
- · Liquid foam-filled cushions provide good seal and low surface pressure
- NRR 30
- 1/ea



Honeywell

HOWARD LEIGHT

Howard Leight™ 1035127-VS VeriShield™ 100 Series Passive Earmuffs

- · Helmet earmuff, high visibility
- Fit a wide range of head sizes
- · Wide cup opening with memory foam ear cushions
- · Memory foam ear cushions
- · Air Flow Control Technology
- NRR 30
- 1/Fa

WATER SAFETY



I223ORG-00-000 Force™ II Life Vest

- Aquafoam™ Flotation Foam retains buoyancy, even when punctured
- 3M[™] Scotchlite[™] SOLAS-grade reflective strips on the front and back improve visibility
- · Compatible with most types of fall protection harnesses for added safety
- · US Coast Guard-approved
- · Size: Universal





1339ORG-00-000 Ultra 3000 Automatic Inflatable Life Jacket

- · Features a thin profile and lightweight design
- · Automatically inflates when submerged in water
- · Comfortable and allows for a wide range of motion
- · Equipped with a backup lanyard and oral inflation tube • Has an adjustable 2" belt and reflective tape
- · Provides 33.7 pounds of buoyancy when inflated
- USCG approved Type V PFD
- · Size: Universal





I465ORG Versatile™ Vest

- · US Coast Guard-approved Type III performance
- Plenty of workplace storage: four roomy hook-and-loop pockets. a couple D-rings and eyelets to attach safety equipment
- · Flotation foam inserts offer up buoyancy and maneuverability
- 3M[™] Scotchlite[™] Reflective Material SOLAS-grade 6755 on panels for added visibility
- 15.5 lbs (69 Newtons) buoyancy
- · Size: S-3XL



FALL PROTECTION



MSA 10072479

Workman® Harness

- · Integral lumbar support pad for work positioning and comfort
- BACK D-ring
- · Qwik-Fit leg straps
- Qwik-Fit chest strap
- · Web retainer collars to keep excess webbing neat
- · Size: Standard
- 1/Fa



MSA 10041591

- TechnaCurv® Harness Curvilinear comfort system
- · Visco-Elastic shoulder padding
- · Sorbtek fabric on the shoulder and sub-pelvic pads
- BACK D-ring
- Tongue leg buckles
- Qwik-Fit chest strap
- Size: Standard
- 1/Fa



Honeywell <u>M</u>ILLER

Honeywell Miller T4500/XXXLAK Titan™ II Non-Stretch Harness

- · Mating Buckle Chest Strap
- · Tongue Buckle Leg
- · Non-slip back D-ring pad keeps D-ring in position
- · Hi-Viz durable, lightweight color webbing
- · 400 lb. Capacity
- · Size: 3XL

GUARDIAN

Guardian Velocity Full-Body Harness

- 5 Points of adjustment
- · Pass-through chest strap
- Tongue buckle leg straps
- · Dorsal D-ring
- · Padded D-ring placard
- · Impact indicator
- Sub-pelvic strap
- · Contrasting core webbing to indicate wear and aid inspection
- · Dual lanyard keepers
- · Capacity: 130-420 lbs.

01703 Dorsal D-Ring Size: S-L 01704 Dorsal D-Ring Size: XL-2XL 01705 Size: XI -2XI Side D-Rings



MSA 63111-00A V-TEC™

- · Designed with a clear casing, to allow the user to see inside the unit to ensure its functioning properly, giving the user 100% confidence and peace
- · Steel carabiner (top)
- 1/Ea



Honeywell MILLER

Honeywell Miller AC-TB/UGN Miller AirCore Harness

- · Quick-Connect chest
- · Tongue buckle leg
- · Unique breathable, open-core padding technology
- Patented DuraFlex stretchable webbing provides greater flexibility
- Stand-up back D-ring easily adjusts
- Size: Standard



Honeywell Miller

Honeywell Miller T4500/UAK Titan™ II **Non-Stretch Harness**

- · Adjustable back D-ring
- · Tongue buckle legs
- · Mating buckle chest and friction buckle vertical adjusters
- Size: L/XL







3M™ Protecta® 1161309 **Construction Style Positioning Harness**

- · Back and Side D-Rings
- Shoulder/Hip Padding
- Tongue-Buckle Leg Connection
- Pass-Through Chest Connection
- Size: Medium/Large
- 1/Ea







3M™ DBI-SALA® Delta™ 1102000 Vest-Style Harness

- No-tangle design
- · Stand-up back D-ring
- Tongue buckle leg straps
- Repel[™] webbing
- Built-in lanyard keepers
- Revolver[™] vertical torso adjusters
- · Size: Universal
- 1/Fa





Mini Personal Fall Limiter

- of mind
- 6 ft. (1.8m) single-lea
- AL36CL snaphook







3M™ DBI-SALA® Nano-Lok™ 3101532 Arc Flash Quick Connect 8 ft. Self Retracting Lifeline

- Arc flash rated
- · Built-in connector for single-leg SRL direct attachment to harness
- 8 ft. (2.4m) 3/4" (19mm) Kevlar® fiber webbing lifeline
- · Self-locking snap hook on lifeline
- 1/ea



Honeywell MILLER

Honeywell Miller RL20G-Z7/20FT MightyLite Cable Self-Retracting Lifeline

- · Corrosion-resistant stainless steel and aluminum housing
- · Ideal for hard-to-mount locations
- 20-ft. galvanized wire rope (3/16") lifeline
- · Carabiner and tagline included
- ANSI Z359-2007 Compliant







3M™ DBI-SALA® Nano-Lok™ 3500231 Edge Twin-Leg Quick **Connect Self Retracting Lifeline**

- · Designed for foot-level tie-off and sharp edge applications
- Built-in connector for twin-leg SRL direct attachment to harness
- 8 ft. lifeline with 3/16" galvanized steel cable
- 1/Ea





Honeywell Miller MFLC-12-Z7/6FT Twin Turbo G2 Connector System

- · Reduces fall clearance requirement
- · Connects to harness webbing below the D-ring
- · 6-ft Model
- · Aluminum rebar hooks
- · 600 lb. gate strength

FALL PROTECTION





3M™ DBI-SALA® 2000112 Saflok™ Carabiner

- 11/16 in. gate opening steel carabiner
- · Self-closing and locking gate for added safety
- · Highly corrosion resistant plated hardware
- · High strength steel construction
- 1/Ea



Guardian 10726 Tool Lanyard with Mini Carabiner

- · Locking carabiner is self-locking and self-closing
- Certified to carry tools up to 20 pounds in combined weight
- · Install to a tool belt or around the wrist
- · Securely attach tools to wrist or tool belt
- 1/Ea



3M[™] Protecta® 1200101 PRO-Line [™] Temporary Horizontal Lifeline System

- Complete 60 ft. (18.3 m) system includes tensioner, energy absorber and anchors
- Lightweight 2" (50.8mm) web lifeline
- Two 6 ft. (1.8m) tie-off adaptor anchors included
- Extremely lightweight and portable design
- 1/Ea

GUARDIAN

Guardian 10800 Safe-T™ Ladder Extension System

- Designed to attach over the top of the ladder and provide a safe and easy transition from the ladder to a second surface
- Requires no tools, drilling or bolting to hold it securely in place
- · Two offsetting handrails
- 1/Ea





3M™ DBI-SALA® 9501403 Suspension Trauma Safety Straps

- Suspension trauma safety strap
- Allows user to stand in harness after a fall
- · Attaches to almost any harness
- Extremely compact and lightweight design
- Simple and fast zipper style deployment
- · In-field re-setable design
- 1/ea



LIGHTING



Energizer MS2AALED Intrinsically Safe 2AA LED Flashlight

• Class I Division I rated

Energizer

- MSHA Approved, ATEX Certified, UL Listed
- · Impact-resistant, Waterproof
- Survives 1-meter drop test
- · Oil and grease resistant body
- Light Output: 40 lumens
- Runtime: 12 hours
- 1/ea



Energizer

Energizer HDBIN32E Vision HD LED Headlight

- Three headlamp light modes: white spot light, white flood light, and spot and flood together
- Dimmable to control brightness and runtime
- · Pivots to direct light where you need it
- · Durable light is water resistant with a shatterproof lens
- 1/ea



Energizer

Energizer Industrial Alkaline Batteries

EN91 AA 24/Pk EN92 AAA 24/Pk





68602 4AA ProPolymer® Lux Division 1 Flashlight

- 100 lumens typical; up to 4,200 candela peak beam intensity
- IP67 Ingress Protection; Shock resistant (drop test verified)
- Rubber-booted, tailend, push-button tailswitch for one handed operation
- High Lumens: 100
- Run Time on High: 6 hours
- Battery Type: (4)AA Alkaline





75763 Stinger DS® HPL Flashlight

- Access variable lighting modes via the tail cap or the head-mounted switch
- Three modes and strobe: high, medium, low and strobe
- Machined aircraft aluminum body with non-slip rubberized comfort grip
- IPX4 water-resistant; 3 meter impact resistance tested
- Deep-dish parabolic reflector produces a long-range targeting beam with optimum peripheral illumination
- 3-cell, 3.6 Volt NiMH sub-C battery, rechargeable up to 1000 times

RESPIRATORY



3M™ 8210 N95 Particulate Respirator

- · Two-strap design with welded dual point attachment helps provide a secure seal
- · Adjustable noseclip helps provide a custom fit & secure seal
- · NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles



3M 8511 N95 Particulate Respirator

- · NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M[™] Cool Flow[™] Exhalation Valve helps reduce heat build-up inside the respirator
- · Adjustable M-noseclip reduces potential for eyewear fogging
- 10/bx

3M



SAS 8610 N95 Particulate Respirator

- · 95% filter efficiency level effective against particulate aerosols free of oil
- · Maintenance-free construction
- · Adjustable nose bridge with foam strip to reduce the potential for eyewear to fog
- · Latex-free stapled fixed head strap
- 20/bx



SAS 8611 N95 Valved Particulate Respirator

- 95% filter efficiency level effective against particulate aerosols free of oil
- · Maintenance-free construction
- · Exhalation valve for easy breathing
- · Adjustable nose bridge with foam strip to reduce the potential for eyewear to fog
- · Latex-free stapled fixed head strap
- 10/bx



· Lightweight well-balanced design and silicone faceseal for enhanced comfort, durability and ease of cleaning

MSA

MSA™ 815444 Advantage® 200 LS Half-Mask Respirator

3M™ 6000 Series Full Facepiece

· Large lens provides a wide field of view for

Reusable Respirator

· Sizes: small, medium, large

excellent visibility

1/Fa

- · Lightweight, cost-efficient
- · Thermoplastic rubber increases softness and decreases weight
- Multiflex system equalizes facial pressure
- · AnthroCurve conforms to each user's face
- · Sizes: Small, Medium, Large



MOLDEX

Moldex 4800 N95 AirWave Particulate Respirators

- Exclusive easy-breathing wave design
- · Can be used against most welding fumes (free of oil)
- · Dura-Mesh shell resists collapsing in heat and humidity
- · Softspun® lining for increased comfort and durability
- · Soft foam nose cushion and contour shaped for comfort
- · Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1
- · Size: Medium/Large
- 8/bx





Moldex 7000 Series Respirator Facepiece

100% PVC-Free[®]

MOLDEX

- · Sleek design for modern, high-tech look and increased worker acceptance
- · Light weight design plus extra-wide sealing area provides all-day comfort
- · Size: Small-Large



MOLDEX

Moldex 7100 Organic Vapor Cartridge

- Can be used with both 7000 and 9000 series respirators.
- 2/pk



MSA™ 10102184 Advantage® 420 Half-Mask Respirator

- · Respirator boasts several features to increase comfort and provide customized fit
- Four-point voke and harness design promotes easy donning and doffing
- · Easily switches between lock-down and drop-down mode
- · Designed for easy integration with other personal protective equipment
- Latex-free
- · Sizes: Medium, Large

GAS DETECTORS



MSA

10178557 4XR Multigas Detector

- Rapid-response MSA XCell® sensors
- · Toughest 4-gas monitor on the market
- · Also provides real-time incident awareness to team members, supervisors, safety managers and others when paired with the MSA ALTAIR Connect app via a Bluetooth® wireless
- 1/Fa



MSA

10116926 5X Multigas Detector

- · Measures up to 6 gases including natural gas
- · Now available with integrated PID sensor for VOC detection
- · Delivers faster response time, better stability, accuracy, longer service life, and cost savings over the life of the instrument



Honeywell

ToxiPro® Single Gas Detectors

- · Small, lightweight design
- · Robust, shock-resistant housing
- · Fully illuminated backlit LCD
- · Continuous, real-time gas readings
- · Max, STEL and TWA readings
- · Highly visible bright LED visual alarms (red and yellow)
- Automatic black box datalogger
- O2, CO, H2S, SO2, CO-H, Cl2, NH3, NO2, PH3, HCN

PROTECTIVE CLOTHING



DuPont™ TY122 Tyvek® 400

- · An ideal balance of protection, durability and comfort
- · Comfort fit design allows for a greater range of motion and fewer blowouts
- · Breathable inherent barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- · Excellent abrasion resistance; protects against hazardous particles down to one micron in size
- · When used with other PPE, can help reduce risk of cross-contamination in pandemic response activities

- · Serged seams
- · Attached hood (respirator fit)
- · Front zipper closure
- Storm flap
- · Elastic wrists
- · Elastic ankles
- Elastic waist
- · Attached skid-resistant boots
- · Comfort fit design
- 25/cs
- Size S-5XL



TAPES & ADHESIVES



Scotch® 06132 Super 33+™ Vinyl **Electrical Tape**

- · The combination of the pressure-sensitive, rubber-resin adhesive and the PVC backing offers electrical and mechanical protection
- Tensile strength rating of 15 lbs. per inch meets professional electrical standards
- ¾ in. x 66 ft • 1/rl

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3M™ 6969 Extra Heavy Duty Duct Tapes

- Designed for general use in MRO/construction applications
- · Removes cleanly for up to three months when applied indoors
- · Strong water-resistant backing resists wear and light abrasion
- 48mm x 54.8m, 10mm thickness
- 1/rl



3M™ Super 77 Multipurpose Adhesive

- · Aggressive tack provides high initial grab, with enough time to position materials properly
- · Sticks to: Cardboard; Ceramic; Fabric; Fiberglass; Foam; Glass; Leather; Metal; Paper; Plastic; Rubber; Vinyl; Wood
- 16.75 oz. cans
- 12/cs

HEAT STRESS



Sqwincher® ZERO Qwik Stik

Qwik Stik ZERO is a one-man hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.

- 10 oz. yield packets or 20 oz. yield packets
- · Grape, Orange, Mixed Berry, Fruit Punch
- 50/bg



Sqwincher® ZERO Powder

Sqwincher® ZERO Powder Mix is a guilt free, sugar free electrolyte beverage. Add to 2.5 Gallons of water and serve.

- Grape, Orange, Lemon Lime, Fruit Punch
- 80 gallon case yield
- 4 bags of 8 packs per case



Coleman €

Coleman 3000000733 5 Gallon Beverage Cooler

- Easy-use spigot lets you conveniently fill your drink
- Screw-top lid stays secure on your adventures
- Side handles for easy, controlled lifting and carrying
- Made in the USA
- 1/Ea

FIRST AID





K615-025 FAC-3 - Class B 3 Shelf Metal Cabinet

- · Heavy Duty Cabinets
- Filled with a large variety of high-quality first aid products
- Certified to meet Class B ANSI compliance





K615-029 FAC-4 - Class B 4 Shelf Metal Cabinet

- · Heavy Duty Cabinets
- Filled with a large variety of high-quality first aid products
- Certified to meet Class B ANSI compliance R3# 328000091 K615-029





K615-011 16PW - Class A Poly White

- Heavy duty plastic case
- Filled with a large variety of high-quality first aid products
- · Certified to meet Class A ANSI compliance

WELDING MARKERS



BRITE-MARK® Medium and Fine Tip Markers

- Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more
- Valve actuated mechanism prevents paint in barrel from drying when cap is left off
- · Heavy duty aluminum body with large paint capacity
- Ideal for color coding
- Bullet tips are replaceable to ensure complete use of paint in each marker
- Drying Time: 25 35 seconds



