



Kleenguard™ 49309 Maverick™ Safety Glasses

- Modern sleek and stylish lightweight
- Integrated side shields and browguard
- Comfort touch points on the temples and nose bridge
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection
- Meets the ANSI Z87.1+ standards for optical and impact protector requirements
- Clear Anti-Fog lenses with Black Frame
- 1/Ea



FIAMM 65805 Mega Blast Siren Horn

- Rechargeable via the included USB plug and adapter
- Extremely loud: 122dB
- Works in extreme cold, when regular air horns stop working
- Weatherproof & shock resistant solid state electronics
- Meets U.S. Coast Guard requirements
- No need to replace air canisters, or carry an air pump to re-fill
- 1/ea



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



GOJO® SUPRO MAX™ Hand Cleaner

- Fast and effective heavy-duty hand cleaner with gentle scrubbers
- Unique blend of cleaners and skin conditioners help leave skin feeling healthy
- Non-drying formula
- Gentle on skin
- Effective on oil, grease, paint, and adhesives
- Available in many sizes and dispensing options



Moldex 6680 Soothers Moisturizing Earplugs

- Hydrates and moisturizes for all day comfort
- Soft foam and tapered shape for added comfort
- Non-irritating smooth surface
- Independently tested to ANSI S3.19-1974
- NRR 33
- Uncorded, 200pr/box



Mechanix Wear MFF-05 FastFit®

- Form-fitting TrekDry® material keeps working hands cool and comfortable
- Stretch-elastic cuffs create a secure fit
- Pinched fingertip construction improves fingertip strength and durability
- High-dexterity synthetic leather infused with touchscreen technology
- 1/ea
- Size 8-11 (More sizes available)



GOJO® HAND MEDIC® Professional Skin Conditioner

- Fragrance-free skin conditioner, specially formulated for industrial environments
- Helps prevent dry, cracked skin by maintaining skin's moisture level
- Absorbs quickly with no greasy after-feel
- Silicone and fragrance free
- Dermatologist tested
- NSF E4 Registered
- Available in many sizes and dispensing options



1515 Premium Black Series® Black Bottom Vest Lime

- Ultra-Cool™ 100% polyester mesh with black bottom and trim
- 2" wide high performance reflective material with 3" breathable contrasting color
- Left and right chest mic tabs
- Six strong pockets
- ANSI 107 Type R | Class 2 Compliant
- 1/ea
- Size M-XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



61301 Argo® LED Headlamp

- Long Range LED Headlamp with Spot Beam and Tilting Head
- Three modes: High (150 lumens); Medium (100 lumens); Low (45 lumens)
- 90° tilting head features a robust ratcheting system; prevents neck fatigue
- Push-button switch is easy to use when wearing gloves
- Battery Type: (3) AAA Alkaline
- 1/Ea



Squincher® Squeeze® Pops

- Quickly cools body temperature
- Frozen electrolyte replenishment
- Assorted Flavors
- 150/cs



ZERO Qwik Stik® Single-Serving

- Just add to a 16-20 oz. bottle water
- Replenishes fluids and electrolytes lost during physical work
- Contains no sugar or calories
- Orange, Fruit Punch, Mixed Berry, Lemonade, and more flavors available
- 50/bg



SAFETY PRODUCTS

Honeywell
UVEX®



Uvex Avatar™ Safety Glasses

- PC Lens, Hardcoat and Uvex HydroShield® AF coating
- Ratchet, wire-core, adjustable temples, flexible and adjustable nose, Multi-Material Technology® Plus
- Flexible nose pads to fit nasal profile and reduce slippage
- Soft brow frame with patented indirect venting
- Meets ANSI standards and is CSA Certified
- Other color frames and lenses available
- 1/Ea

Honeywell
UVEX®



Uvex Avatar™ OTG Safety Glasses

- PC Lens, Anti-Reflective, and Hardcoat
- Ratchet, wire-core, adjustable temples, flexible and adjustable nose
- Patented Indirect venting system, soft brow frame with Multi-Material Technology® Plus
- Meets ANSI standards and is CSA Certified
- Other color frames and lenses available
- 1/Ea

3M



3M™ SecureFit™ Protective Eyewear

- Pressure Diffusion Temple Technology helps diffuse pressure over the ear for a secure, comfortable fit
- Scotchgard™ anti-fog coating
- Polycarbonate lens absorbs 99.9% UVA & UVB
- Meets the requirements of ANSI Z87.1-2015
- 1/Ea
- SF601SGAF-FM Clear AF Lens, Foam Gasket
- SF602SGAF Grey AF Lens

RADIANS



Radians Mirage™ USA Safety Eyewear

- Dielectric snap fit temples
- Optically correct and distortion free lenses
- Economical dual wraparound 9.75 base lens provides near perfect orbital seal
- Protective polycarbonate lens provides impact resistance
- Meets ANSI Z87.1+ standards and is assembled in the USA
- 1/Ea

MR0111ID Clear AF Lens
MR0121ID Smoke AF Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MCR
SAFETY



MCR DL119AF DL1 Series

- Full length non-slip, soft temple material
- Close orbital seal provides maximum protection
- Wrap around lens design provides greater side protection
- Soft, secure TPR nose pad
- Exclusive Duramass® scratch resistant coating
- Polished Black Frame, Black Temples, I/O AF Lens
- 1/Ea

Kimberly-Clark
PROFESSIONAL™



Kimberly-Clark 18629 Kleenguard™ Shield* Safety Goggles Shield*

- Features the Monogoggle XTR goggles, so there is no need to wear primary eye protection
- The clear anti-fog lens helps workers see clearly, even in humid or wet environments
- Often fits over most prescription eyeglasses
- Meets ANSI Z87.1+ standards
- 1/Ea



Energizer

Energizer Industrial Alkaline Batteries

EN91	AA	24/Pk
EN92	AAA	24/Pk
EN93	C	12/Pk
EN95	D	12/Pk

Energizer

Energizer HDDIN32E Vision HD LED Headlight


- Three headlamp light modes: white spot light, white flood light, and spot and flood together
- Dimmable to control brightness and runtime
- Pivots to direct light where you need it
- Durable light is water resistant with a shatterproof lens
- 1/ea



MOLDEx

Moldex 6465 Glide® Trio Reusable Twist-In Earplugs

- Unique multi-curved stem rotates for a custom fit
- Soft triple flange plug can be washed and reused
- Cord can be attached at any desired length
- Independently tested to ANSI S3.19-1974
- NRR 27
- Corded, 45 pr/bx



STREAMLIGHT

68750 DUALIE® 3AA Compact Multi-Function Flashlight

- Division 1, Intrinsically safe
- Three output modes: spot, flood, spot and flood simultaneously
- Two beams that intersect for optimum path illumination and no blind spots
- Battery Type: (3) AA Alkaline or (3) AA Lithium
- 1/Ea

Honeywell
HOWARD LEIGHT



Honeywell Howard Leight VS110F VeriShield™ 100 Series Folding Earmuff

- Fit a wide range of head sizes
- Wide cup opening with memory foam ear cushions
- Lightweight cushioned headband
- Air Flow Control Technology
- NRR 33
- 1/Ea

3M

3M™ E-A-R™ P1301 Skull Screws™ Earplugs

- Tough look of threaded metal
- Soft foam tips feel comfortable for extended wear
- Cutting-edge look and comfort may increase worker compliance in wearing hearing protection
- NRR 32
- Corded, 120pr/bx



SAFETY PRODUCTS



Bullard Standard Series Full-Brim Hats

- Wider profile helps protect against sun exposure, rain, snow, and dust
- Six-point pinlock suspension
- Durable, high-density polyethylene
- Front and rear vertical height adjustments
- Meets ANSI/ISEA Z89.1, Type I, Class E and G requirements
- Available in many colors
- 1/Ea



AVPBR Pacific Blue AboveView™ Hard Hat

- Featuring a see-through visor that allows workers to see hazards overhead
- Increases your upper peripheral view by more than 50%
- Flex-Gear® ratchet suspension
- Replacement visors are available in clear, grey and yellow tints
- Meets ANSI/ISEA Classification: Z89.1, Type I, Class E and G
- Available in many colors
- 1/Ea

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MSA Skullgard® Protective Hat

- Skullgard helmets have been tested to radiant heat loads producing temperatures up to, but not exceeding, 350F.
- Smooth crown for easy use of MSA welding equipment
- Fas-Trac® III Suspension
- 1/ea
- Colors: Natural Tan
- 475407 Full Brim
- 475395 Cap Style



Occunomix TN6-WAV Deluxe Tie Hat W/ Elastic

- 100% Cotton
- 360° foam backed terry sweatband
- Cotton elastic for comfortable fit
- 1/ea



MSA V-Gard® 10071157 Hard Hat, Stars & Stripes

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® III Suspension and slots for better impact resistance and personal comfort
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- 1/ea



3M™ SecureFit™ Safety Helmet

- Climbing helmet-inspired design
- Suspension system incorporates exclusive patented Pressure Diffusion Technology
- Works with a variety of 3M faceshields, earmuffs, and other accessories
- Customize your fit with multiple levels of vertical adjustment
- Meets ANSI Z89.1
- Available in many colors
- 1/Ea



Moldex 6300 M3 Cap Mounted Earmuff

- Extra soft foam/low pressure cushions
- SoftCoat® covering helps muffle transmitted noise
- Exclusive iridescent color and curvy shape for great looks
- Molded grips make fitting easy and quick
- NRR 24
- 1/Ea



Occunomix 936-BL Miracool® PVA Sweatbands

- Absorbs sweat and provides cooling relief
- Elastic band for comfortable fit
- Packaged in large resealable bag
- 10/pk

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3M™ Hard Hat with UVicator

- 4-point ratchet suspension allows wearer to customize height and fit
- Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E
- Smooth, easy turning ratchet suspension
- UVicator sensor shows when it's time to replace hard hat due to UV exposure
- 1/ea
- Colors: White, Blue, and Yellow



2810 & 2813 Hard Hat Sun Shield

- Keeps your neck well shaded
- Elastic band to fit over most hard hats
- Ultra-Cool™ 100% polyester mesh with contrasting trim
- 5/8" wide high performance reflective material with contrasting material
- 1/ea
- 2810 Lime
- 2813 Orange



MCR 102 Aluminum Face Shield Bracket for Cap-Style Hardhat

- Aluminum bracket
- Brackets accepts most manufacturers' hard hats
- Meets ANSI X87+ requirements
- 1/Ea



MCR 102040 Face Shield

- Clear PETG Face shield
- Measures 10" x 20"
- Thickness: 0.040"
- 1/Ea

SAFETY PRODUCTS



3M

3M™ 8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief

- NIOSH approved for at least 95 percent filtration efficiency against certain oil and non-oil based particles
- Carbon layer reduces exposure to nuisance levels of organic vapors
- 10/bx



3M

3M™ 8247 R95 Particulate Respirator with Nuisance Level Organic Vapor Relief

- NIOSH Approved R95
- Carbon layer helps reduce nuisance levels of organic vapors
- Advanced Electrostatic Media
- 20/bx



3M

3M™ 8515 N95 Particulate Respirator - Welding

- 3M™ Cool Flow™ Exhalation Valve reduces heat build-up inside the respirator
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- 10/bx



MOLDEX

Moldex 2800N95 Plus Relief From Organic Vapors Series Particulate Respirators With HandyStrap® & Ventex® Valve

- HandyStrap allows mask to hang down loosely and comfortably around the user's neck when not in use
- Can be used against most welding fumes
- Ventex valve lets the hot air out faster so workers breathe easier and stay cooler
- 10/bx



MOLDEX

Moldex 8000 Series Reusable Half Mask Respirator

- Soft, durable facepiece and light weight design plus extra-wide sealing area provides all-day comfort
- Exhalation valve positioned for better communication
- Low profile, compact design fits well under welding helmets and with safety glasses
- Size: Small-Large
- 1/ea



MOLDEX

Moldex 7300 Organic Vapor/Acid Gas Cartridge

- Used with 7000, 7800 and 9000 series respirators
- Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide or Chlorine Dioxide, Hydrogen Sulfide and Hydrogen Fluoride
- 1/pr



MOLDEX

Moldex 7600 Multi-Gas/Vapor Smart® Cartridge

- Used with 7000, 7800 and 9000 series respirators
- Organic Vapors, Ammonia, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Formaldehyde, and Hydrogen Sulfide
- 1/pr



GERSON

Gerson 1840 R95 Particulate Respirator w/Valve, Full Gasket, Adjustable Straps

- Provides at least 95% filtration efficiency against solid and liquid aerosols, including oil based aerosols
- Full foam inner gasket helps provide a good seal and is comfortable to wear
- Premium oversized valve opens more easily to expel hot air for cool comfort
- 5/bx



MSA
The Safety Company

MSA Advantage® 4200 Full-Facepiece Respirator

- Facepiece is compatible with several MSA respirator models for comfortable, cost-efficient performance
- Option of three standard sizes ensures user will find a solid fit
- Components lock into place in seconds for quick, convenient performance
- Size: Small-Large
- 1/ea

MSA
The Safety Company

MSA 815359 Advantage® Multigas Cartridge

- Organic Vapor, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride
- 2/pr



3M

3M™ 6500 Series Rugged Comfort Half Facepiece Reusable Respirator

- Resilient silicone face seal provides comfort, durability, and stability with a soft but firm seal
- Exhalation valve cover helps direct exhaled breath and moisture downward to reduce fogging of eyewear and grinding and welding shields
- Proprietary 3M Cool Flow valve helps reduce heat and moisture to make breathing easier
- Sizes: Small, Medium, Large



ALLEGRO
The Safety Company

Allegro 9200-01 Full Mask Low Pressure Systems

- 1-Worker Full Mask System with 1/4hp pump and 50' hose
- Offer portable, lightweight, air sources
- Down tube comes with a 90 degree elbow that allows it to be directed over the shoulder
- 1/ea



3M

3M™ 60921 Organic Vapor Cartridge/Filter

- Use with 3M™ Half and Full Facepieces 6000 and 7000
- NIOSH approved for protection against certain organic vapors and particulates
- 10/bx

SAFETY PRODUCTS



MCR 96871 Safety Cut Pro™

- 10 gauge DuPont™ Kevlar® and synthetic fibers
- High comfort level
- Blue latex palm & fingers
- 12/pk
- Size M-XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Honeywell

Honeywell 42-612BY Rig Dog™ Xtreme Gloves

- Elevated fingertip protection
- Ergonomic design for high dexterity
- Impact resistant property on knuckle
- High visibility green TPR fingers
- High visibility red palm
- Slip-on cuff
- 12/pk
- Size M-XL (More sizes available)



MCR 7800 Brown Jersey Glove with Clute Pattern

- Dotted palm and Forefinger for Grip and Abrasion Resistance
- Breathable
- Clute pattern
- 12/pk
- One Size



Ansell HyFlex® 11-600 Light Duty

- Stretch nylon liner and polyurethane coating offer tactile sensitivity
- Palm-dipped style for added protection
- Offered in white for dirt sensitive application or in black for environments that present some level of dirt
- 12/pk
- Size 7-11 (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TILLMAN®
The Brand Pro's Demand

Tillman 1420

- Premium quality pearl top grain Cowhide
- Unlined, Gunn cut
- Straight thumb for best grip
- Double stitching on forefinger provides extra strength
- 1/pr
- Size M-XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Ironclad EXO-MIG Motor Impact

- Back of Hand TPR Impact Protection
- Vibration-Reducing Reinforced Palm
- TPR Hook and Loop Closure
- TPR Cuff Puller
- Terry Cloth Sweat Wipe
- 1/ea
- Size M-XL (More sizes available)



Showa KV350

- Oil-resistant nitrile palm coating
- 10-gauge seamless liner made with Kevlar®
- Rough grip
- Low thermal conductivity & thermal shrinkage
- 12/pk
- Size 8-10 (More sizes available)



Showa KV300

- Level A3 ANSI cut-resistance
- Uncoated knuckles for flexibility
- Coated portion of the glove provides exceptional puncture resistance
- Durable natural rubber coating
- 12/pk
- Size 8-10 (More sizes available)



TILLMAN®
The Brand Pro's Demand

Tillman 1415

- Premium top grain goatskin drivers
- Keystone thumb provides natural feel
- Double stitching on forefinger provides extra strength
- 1/pr
- Size M-XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Wells Lamont Y0325 Grain Pigskin Driver w/Orange Mesh Back

- Quality grain pigskin palm for comfort
- Hi-vis orange mesh back for better air circulation and visibility
- Double-shirred elastic wrist with a snug fabric bound hem
- 12/pk
- Size M-XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



6657 Astro-Grip Nitrile Disposable Glove

- Powder-free nitrile, non-latex
- Thickness: 7 mil
- Dual-sided scale textured surface for superior grip
- High-visibility orange color
- Exceptional chemical and puncture resistance
- 100/bx
- Size M-2XL



Black Nitrile Powder-Free Gloves

- Hides dirt and stains
- Rich black color provides sharp contrast
- Not made with natural rubber latex
- Textured surface for improved grip
- 100/Bx
- Size S-XL

SAFETY PRODUCTS



M MAJESTIC RELIABILITY IN SAFETY

Majestic 75-1313 High Visibility Waterproof Jacket with Quilted Liner

- Economical high visibility yellow bomber jacket with black bottom
- Fixed quilted liner
- Elastic ribbed waist, wrist, and collar to keep out the cold
- Meets ANSI / ISEA 107-2015 Class 3, Type R Standard
- Size L-3XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



M MAJESTIC RELIABILITY IN SAFETY

Majestic 75-1381 High Visibility 8-in-1 Transformer Waterproof Jacket

- Offers 8 varieties of wearing options that include the basic, fully lined Class 3 waterproof jacket, Class 2 vest, just the Hi-Vis Class 3 liner or four more options that can be created depending on the days weather
- Jacket and Liner meet ANSI / ISEA 107 2015 Class 3, Type R Standard
- Size L-3XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



M MAJESTIC RELIABILITY IN SAFETY

Majestic 75-3213 High Visibility Mesh Vest with Black Bottom

- Left chest mic tab
- Left chest pocket
- Inside waist pocket
- Zipper front closure
- 2" reflective striping
- Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-3XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MCR SAFETY

MCR VCL2SL Safety Vest Economy Class 2

- Hook and Loop front closure
- 2 inch silver reflective stripes
- 2 outer and 1 inner pocket
- ANSI/ISEA 107-2015 Class 2, Type R compliant
- 1/ea
- Size M-2XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TILLMAN
The Brand Price Demand

Tillman 9730 Welding Jacket

- Lightweight flame retardant cotton
- Self-extinguish when exposed to flame or thermal ignition sources
- Jacket Material: 9 oz Westex FR-7A Flame Resistant Cotton
- Sleeve Material: 9 oz. blended Twaron®/Lenzing FR® fabric
- 1/ea
- Size M-5XL



WELLS LAMONT
Industrial

Wells Lamont SK-10 Kevlar Sleeve with Cotton Lining

- 2 ply construction
- 1-ply outer with Kevlar, 1-ply inner cotton
- Outer layer flame resistant
- ANSI Cut Level A3
- ANSI Flame Rating Level 2
- 1/ea



BYR100 - Yellow Rubber Slush Boots

- Adjustable strap on top
- Wear over the shoe by ordering 2 to 3 sizes above shoe size
- Lined for comfort and ease of putting on/off
- Cleated ripple sole for grip
- Size 12-15 (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Dupont TY120SWH Tyvek® Coveralls

- Serged Seams, Collar, Front Zipper Closure with Storm Flap, and Elastic Waist
- Composed of flash spun high density polyethylene provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- Inherent barrier against particles
- Size M-5XL



127 Classic Non-Marring Knee Pads

- Ideal for delicate surfaces
- EVA foam padding for comfort and cushioning
- Non-marring molded rubber cap with gripping ridges
- Polyester and tricot fabrics
- Hook & Loop closure
- 1/pr



Honeywell SERVUS

Honeywell Servus 18821 CT™ - Comfort Technology PVC Footwear

- 16 in Black knee boot
- PVC injection molded footwear is 100% waterproof
- "Safe Toe" steel toe
- Track10™ sole
- Size 3-15



Dupont TY122SWH Tyvek® Coveralls

- Serged Seams, Attached Hood, Front Zipper Closure with Storm Flap, and Elastic Wrists, Ankles and Waist, Attached Skid-resistant Boots
- Composed of flash spun high density polyethylene provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- Inherent barrier against particles
- Size M-5XL



MCR 2013R Luminator™ Rainwear

- .35 mm PVC on polyester suit, fluorescent orange
- Lime/Silver reflective stripes
- Jacket with detachable hood and bib style pants
- 2 patch pockets on jacket
- Take up snaps on the wrist, ankles, and waist
- Meets ANSI/ISEA 107 Type O, Class 1 Standards
- 1/ea
- Size M-2XL (More sizes available)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SAFETY PRODUCTS



- 3M™ DBI-SALA® 1110600 Delta™ Vest-Style Harness**
- No-tangle design
 - Stand-up back D-ring
 - Tech-Lite™ quick-connect buckle leg straps
 - Repel™ webbing
 - Built-in lanyard keepers
 - Revolver™ vertical torso adjusters
 - Impact Indicator
 - Sizes: Universal



- 3M™ DBI-SALA® 1107977 ExoFit™ Vest-Style Harness**
- Built-in shoulder, back and leg comfort padding
 - Back D-ring
 - Quick connect chest and leg straps
 - Soft, lightweight webbing
 - Loops for body belt
 - Anti-tear ballistic nylon
 - Protected labels, equipped with i-Safe™
 - Size: Large



- MSA 10196069 V-FLEX™ Safety Harness**
- Exclusive design reduces need for harness adjustment throughout the day, allowing for more comfort and freedom of movement
 - Contoured padding adjusts to shape of your shoulder to minimize fatigue
 - Quick Connect Leg Straps
 - Back D-Ring
 - Size: Standard



- Guardian Seraph Construction Harness w/Side D-Rings**
- Heavy duty and comfortable waist pad with strong belt loops
 - Reinforced tool belt
 - Dorsal D-ring
 - Pass-through chest strap
 - Tongue-buckle leg straps
 - Two lanyard keepers
 - Durable back placard
 - Removable/replaceable back and shoulder padding



- Honeywell Miller MFLAF2-5/6FT Twin TurboLite™ Flash Personal Fall Limiter**
- All-in-one solution for arc flash and hot work applications
 - Quick Connect Harness Connector
 - Steel Locking Swivel Snap Hooks
 - 6-ft twin leg
 - 1/ea



- 3M™ DBI-SALA® 1500134 Safe Bucket 100 lb. Load Rated Canvas**
- Heavy-duty 24 oz. cotton duck canvas
 - Innovative closure system
 - Carabiner and Hoisting Strap
 - Six built in connection points with 10 lb. (4.5 kg) load rating each
 - 1/Ea



- Guardian 15500 C-Slab Grabber**
- Compatible with wide range of concrete slabs
 - Set-up OSHA compliant guardrail system
 - Durable, powder-coated steel
 - Anti-slip grip
 - Quick adjust handle
 - Back-up safety pin that functions to ensure complete system integrity
 - Compatible with 2x4" and 2x6" boards



- Honeywell Miller MFLAF-18/6FT TurboLite™ Flash Personal Fall Limiter**
- Integral Shock Absorber
 - High-Impact Resistant Housing
 - Quick Connect Harness Connector
 - Aluminum Captive Eye Carabiner
 - 6-ft single leg
 - 1/ea



- 3M™ Speedglas™ 07-0012-31BZ 100 Welding Helmet Blazed with ADF 100V**
- 1.73" x 3.66" viewing area
 - Includes Speedglas™ 100V auto-darkening filter
 - Shades 8-12
 - Sensitivity adjustment that allows use with all Stick, MIG and TIG welding processes.
 - Features blazed design



- Kimberly-Clark 06001 Kimtech® Wettask® Hydroknit® Sanitizing Wipes Buck**
- Kimtech® Wettask® Hydroknit® sanitizing wipes are compatible with many chemicals, some solvents, detergents and sanitisers
 - Ideal for general surface cleaning, disinfecting, sanitising and degreasing
 - The portable, reusable bucket allows you to decide saturation level
 - 1/Ea



- 42272 SCRUBS® IN-A-BUCKET**
- Advanced cleaning formula with a strong, dual-textured towel
 - Clean, citrus fragrance
 - Advanced cleaning power
 - For use on hands and surfaces
 - No sticky residue
 - 1/ea



- Post Consumer Rags**
- Recycled clothes and linens are great rags for jobsites.
 - Available in 10lb and 25lb boxes

SAFETY PRODUCTS



KISHIGO

1600 Standard Warning Flag

- 18" x 18" red/orange reinforce vinyl material
- 3/4" x 24" hardwood dowel
- 1/ea



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DYKEM

BRITE-MARK® Permanent Markers

- Formula is not xylene-based
- Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more
- Valve actuated mechanism prevents paint in barrel from drying when cap is left off
- Drying time: 25-35 seconds
- 12/pk
- Medium Tip (Available in many colors)
- Fine Tip (Available in many colors)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DYKEM

83314 CROSS CHECK™

Tamper Proof Torque Seal

- Tamper Proof Torque Mark
- Highly visible
- Visually detects loose nuts & bolts
- Provides warranty protection
- Fluorescent under black/UV light
- Boeing Specification: BMS8-45 Type II
- 24/pk



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



K615-017 36PW - Class B Poly White

- Filled with a large variety of high-quality first aid products
- Certified to meet Class A ANSI compliance



T20103 Barricade Tape with CAUTION/CUIDADO Legend

- Yellow, 3-Inch Width
- 2.0 mil Thick
- Bilingual English/Spanish
- Non-Toxic, Non-Flammable
- UV Resistant Ink, Lead Free
- Remains Flexible in Cold Weather
- 1000 Feet Per Roll
- Other barricade tape warnings available
- 1/Ea



Justrite 7125100

2.5 Gallon Safety Can

- Stainless steel flame arrester for exceptional corrosion protection
- Gasoline, Gas-Oily Mixture, Kerosene, Diesel
- Capacity: 9.5 liters
- 11.75" outer diameter
- 1.68" fill/pour hole
- 1/ea



Ergodyne Chill-Its® 6602 Evaporative Cooling Towel

- Dampen this synthetic space age towel to create a cooling aid significantly colder than ambient air
- Activates fast and easy - run under cold water for one minute
- Wear for hours or for quick relief
- Size: 13in x 29.5in
- 1/ea



Honeywell

Honeywell BWC2-H BW Clip 2-Year Detectors - Hydrogen Sulfide H2S

- Low: 10ppm, High: 15ppm
- The most user-friendly, reliable and cost-effective way to ensure safety and compliance
- Turn on the device and it runs continuously — no need for calibration, sensor replacement, battery replacement or battery charging
- 1/ea



MSA 10092521 ALTAIR® Single-Gas Detector - Hydrogen Sulfide H2S

- Low: 10ppm, High: 15ppm
- Patented electrochemical sensors and MSA-built button sensors
- Stainless steel and solid electrolyte construction virtually eliminate sensor leakage
- 1/ea



ZOLL

ZOLL 8000-004007-01

Fully Automatic AED Plus

- Fully automatic AED Plus with medical prescription and AED cover
- PlusRx Medical Prescription
- CPR D padz electrode
- Includes pack of 10 CR123a batteries and softcase
- 1/ea



DFC364NSFY Disposable Film Cutter

- Permanent & durable stainless steel blade prevents loose blade
- Shielded, durable stainless steel blade
- Easily and safely cuts shrink wrap & stretch film
- NSF approved for food safety
- 1/ea



CrewSafe

XSCU-03101 X-traSafe® CU

- Blade guard remains locked until trigger is pulled to release it
- Stainless steel blade resists corrosion and breakage
- FDA compliant, food-safe materials
- 1/ea

